

Date : February 22, 2021

CERTIFICATE OF ANALYSIS – GC PROFILING

SAMPLE IDENTIFICATION

Internal code : 21B15-PTH03

Customer identification : Cedarwood Atlas - Morocco - C61105812R

Type : Essential oil

Source : *Cedrus atlantica*

Customer : Plant Therapy

ANALYSIS

Method: PC-MAT-014  - Analysis of the composition of an essential oil or other volatile liquid by FAST GC-FID (in French); identifications validated by GC-MS.

Analyst : Sylvain Mercier, M. Sc., Chimiste

Analysis date : February 18, 2021

Checked and approved by :

Alexis St-Gelais, M. Sc., chimiste 2013-174

Notes: This report may not be published, including online, without the written consent from Laboratoire PhytoChemia. This report is digitally signed, it is only considered valid if the digital signature is intact. The results only describe the samples that were submitted to the assays.



PYHSICOCHEMICAL DATA

Physical aspect: Light yellow viscous liquid

Refractive index: 1.5130 ± 0.0003 (20 °C; method PC-MAT-016)

CONCLUSION

No adulterant, contaminant or diluent has been detected using this method.

ANALYSIS SUMMARY – CONSOLIDATED CONTENTS

New readers of similar reports are encouraged to read table footnotes at least once.

| Identification | % | Class |
|--|-------|-------------------------|
| Mesityl oxide | 0.08 | Aliphatic ketone |
| α-Pinene | 0.03 | Monoterpene |
| 3-Methyl-3-cyclohexenone | 0.01 | Aliphatic ketone |
| 6-Methyl-5-hepten-2-one | tr | Aliphatic ketone |
| Myrcene | tr | Monoterpene |
| para-Cymene | tr | Monoterpene |
| Limonene | 0.02 | Monoterpene |
| Terpinolene | 0.01 | Monoterpene |
| para-Cymenene | 0.02 | Monoterpene |
| Phenylethyl alcohol | 0.01 | Simple phenolic |
| Limona ketone | 1.32 | Normonoterpenic ketone |
| α,4-Dimethyl-3-cyclohexene-1-methanol | 0.09 | Normonoterpenic alcohol |
| α,4-Dimethyl-3-cyclohexene-1-methanol epimer | 0.11 | Normonoterpenic alcohol |
| 4-Methylacetophenone | 0.21 | Simple phenolic |
| Unknown | 0.01 | Unknown |
| α-Longipinene | 0.11 | Sesquiterpene |
| Longicyclene | 0.01 | Sesquiterpene |
| α-Ylangene | 0.08 | Sesquiterpene |
| Unknown | 0.47 | Sesquiterpene |
| Sativene | 0.04 | Sesquiterpene |
| Unknown | 0.75 | Sesquiterpene |
| β-Elemene | 0.11 | Sesquiterpene |
| Longifolene | 0.62 | Sesquiterpene |
| Sibirene | 0.83 | Sesquiterpene |
| α-Cedrene | 0.23 | Sesquiterpene |
| (Z?)-Vestitenone, or analog | 0.08 | Terpenic ketone |
| β-Caryophyllene | 0.10 | Sesquiterpene |
| Himachala-2,4-diene | 0.55 | Sesquiterpene |
| Unknown | 0.01 | Sesquiterpene |
| Unknown | 0.16 | Sesquiterpene |
| trans-α-Bergamotene | 0.05 | Sesquiterpene |
| Himachala-2,4-diene isomer | 0.20 | Sesquiterpene |
| α-Himachalene | 15.11 | Sesquiterpene |
| (E)-Vestitenone | 0.47 | Terpenic ketone |
| α-Humulene | 0.07 | Sesquiterpene |
| Unknown | 0.86 | Sesquiterpene |
| Unknown | 0.64 | Sesquiterpene |
| Unknown | 0.47 | Sesquiterpene |
| γ-Himachalene | 9.27 | Sesquiterpene |
| 11-αH-Himachala-1,4-diene | 1.85 | Sesquiterpene |
| Unknown | 0.41 | Sesquiterpenic ether |
| α-Murolene | 0.21 | Sesquiterpene |
| (Z)-α-Bisabolene | 0.02 | Sesquiterpene |
| Cycloisolongifol-5-ol | 0.22 | Sesquiterpenic alcohol |

| | | |
|------------------------------------|---------------|--------------------------|
| β-Himachalene | 36.50 | Sesquiterpene |
| α-Dehydro-ar-himachalene | 2.17 | Sesquiterpene |
| γ-Cadinene | 0.07 | Sesquiterpene |
| δ-Cadinene | 1.98 | Sesquiterpene |
| γ-Dehydro-ar-himachalene | 1.96 | Sesquiterpene |
| Unknown | 1.54 | Sesquiterpene |
| trans-Calamenene | 0.10 | Sesquiterpene |
| Unknown | 0.21 | Sesquiterpene |
| ar-Himachalene | 0.68 | Sesquiterpene |
| α-Calacorene | 0.72 | Sesquiterpene |
| (E)-α-Bisabolene | 0.76 | Sesquiterpene |
| Unknown | 0.20 | Oxygenated sesquiterpene |
| (E)-Nerolidol | 0.12 | Sesquiterpenic alcohol |
| Himachalene epoxide | 0.77 | Sesquiterpenic ether |
| Unknown | 0.19 | Oxygenated sesquiterpene |
| Longiborneol | 0.39 | Sesquiterpenic alcohol |
| β-Himachalene oxide | 0.52 | Sesquiterpenic ether |
| Unknown | 0.75 | Oxygenated sesquiterpene |
| Unknown | 0.19 | Oxygenated sesquiterpene |
| 1-epi-Cubenol | 0.72 | Sesquiterpenic alcohol |
| 6-Methyl-6-meta-tolyl-heptan-2-one | 0.01 | Miscellaneous |
| Unknown | 0.20 | Oxygenated sesquiterpene |
| Unknown | 0.09 | Oxygenated sesquiterpene |
| Himachalol | 0.87 | Sesquiterpenic alcohol |
| Allohimachalol | 0.73 | Sesquiterpenic alcohol |
| β-Atlantone | 0.04 | Sesquiterpenic ketone |
| (E)-10,11-Dihydroatlantone | 0.21 | Sesquiterpenic ketone |
| (Z)-γ-Atlantone | 0.65 | Sesquiterpenic ketone |
| Deodarone epimer I | 0.61 | Sesquiterpenic ketone |
| Deodarone epimer II | 0.71 | Sesquiterpenic ketone |
| (E)-γ-Atlantone | 0.82 | Sesquiterpenic ketone |
| (Z)-α-Atlantone | 0.61 | Sesquiterpenic ketone |
| Unknown | 0.08 | Oxygenated sesquiterpene |
| Unknown | 0.04 | Oxygenated sesquiterpene |
| Unknown | 0.04 | Oxygenated sesquiterpene |
| Unknown | 0.05 | Oxygenated sesquiterpene |
| Unknown | 0.09 | Oxygenated sesquiterpene |
| Unknown | 0.01 | Oxygenated sesquiterpene |
| (E)-α-Atlantone | 2.87 | Sesquiterpenic ketone |
| Unknown | 0.18 | Oxygenated sesquiterpene |
| Unknown | 0.02 | Oxygenated sesquiterpene |
| Unknown | 0.02 | Oxygenated sesquiterpene |
| Unknown | 0.01 | Oxygenated sesquiterpene |
| Consolidated total | 95.40% | |


tr: The compound has been detected below 0.005% of total signal.


Note: no correction factor was applied

About "consolidated" data: The table above presents the breakdown of the sample volatile constituents after applying an algorithm to collapse data acquired from the multi-columns system of PhytoChemia into a single set of consolidated contents. In case of discrepancies between columns, the algorithm is set to prioritize data from the most standard DB-5 column, and smallest values so as to avoid overestimating individual content. This process is semi-automatic. Advanced users are invited to consult the "Full analysis data" table after the chromatograms in this report to access the full untreated data and perform their own calculations if needed.

Unknowns: Unknown compounds' mass spectral data is presented in the "Full analysis data" table. The occurrence of unknown compounds is to be expected in many samples, and does not denote particular problems unless noted otherwise in the conclusion.

This page was intentionally left blank. The following pages present the complete data of the analysis.





FULL ANALYSIS DATA

| Identification | Column DB-5 | | | Column DB-WAX | | |
|--|-------------|------|--------|---------------|------|--------|
| | R.T | R.I | % | R.T | R.I | % |
| Mesityl oxide | 1.40 | 801 | 0.08 | 2.39 | 1094 | 0.09 |
| α-Pinene | 3.04 | 930 | 0.03 | 1.38 | 992 | 0.03 |
| 3-Methyl-3-cyclohexenone | 3.79 | 980 | 0.01 | 6.19 | 1376 | 0.02 |
| 6-Methyl-5-hepten-2-one | 3.89 | 986 | tr | 5.11 | 1298 | 0.01 |
| Myrcene | 3.97 | 992 | tr | | | |
| para-Cymene | 4.43 | 1021 | tr | 4.13 | 1227 | 0.01 |
| Limonene | 4.51 | 1026 | 0.02 | 3.21 | 1158 | 0.02 |
| Terpinolene | 5.43* | 1084 | 0.02 | 4.31 | 1241 | 0.01 |
| para-Cymenene | 5.43* | 1084 | [0.02] | 6.37 | 1389 | 0.02 |
| Phenylethyl alcohol | 5.83 | 1109 | 0.01 | 12.19 | 1854 | 0.01 |
| Limona ketone | 6.10 | 1127 | 1.32 | 7.85 | 1498 | 1.36 |
| α,4-Dimethyl-3-cyclohexene-1-methanol | 6.41 | 1147 | 0.09 | | | |
| α,4-Dimethyl-3-cyclohexene-1-methanol epimer | 6.46 | 1150 | 0.11 | | | |
| 4-Methylacetophenone | 6.90 | 1179 | 0.21 | 10.47* | 1706 | 2.26 |
| Unknown [m/z 105, 145 (97), 160 (86), 119 (76), 91 (61)] | 7.76 | 1237 | 0.01 | | | |
| α-Longipinene | 9.38 | 1345 | 0.11 | 6.80 | 1421 | 0.10 |
| Longicyclene | 9.65 | 1363 | 0.01 | 7.13 | 1444 | 0.01 |
| α-Ylangene | 9.71 | 1368 | 0.08 | 7.07 | 1441 | 0.06 |
| Unknown epimer I [m/z 131, 146 (36), 91 (22), 145 (19), 202 (18)] | 9.90 | 1381 | 0.47 | 8.26 | 1530 | 0.51 |
| Sativene | 9.99* | 1387 | 1.06 | 7.55 | 1476 | 0.04 |
| Unknown epimer II [m/z 131, 146 (33), 91 (20), 202 (18)] | 9.99* | 1387 | [1.06] | 8.38 | 1539 | 0.75 |
| β-Elemene | 10.02 | 1390 | 0.11 | 8.44* | 1544 | 0.30 |
| Longifolene | 10.14* | 1398 | 1.45 | 8.01* | 1511 | 0.85 |
| Sibirene | 10.14* | 1398 | [1.45] | 7.91 | 1503 | 0.83 |
| α-Cedrene | 10.25* | 1406 | 0.31 | 8.01* | 1511 | [0.85] |
| (Z?)-Vestitenone, or analog | 10.25* | 1406 | [0.31] | 11.77 | 1817 | 0.08 |
| β-Caryophyllene | 10.34 | 1412 | 0.10 | 8.44* | 1544 | [0.30] |
| Himachala-2,4-diene | 10.47* | 1422 | 0.56 | 8.56 | 1553 | 0.55 |
| Unknown [m/z 91, 93 (90), 105 (72), 202 (71), 131 (68), 77 (63), 107 (55), 187 (54)] | 10.47* | 1422 | [0.56] | | | |

| | | | | | | |
|--|---------|------|---------|--------|------|--------|
| Unknown [m/z 105, 91 (70), 93 (65), 43 (61), 120 (57), 145 (50)... 204 (6)] | 10.56 | 1429 | 0.16 | | | |
| <i>trans</i> - α -Bergamotene | 10.59 | 1431 | 0.05 | 8.44* | 1544 | [0.30] |
| Himachala-2,4-diene isomer | 10.68 | 1438 | 0.20 | 8.80 | 1572 | 0.16 |
| α -Himachalene | 10.79*† | 1446 | 15.60 | 9.00 | 1588 | 15.11 |
| (<i>E</i>)-Vestitenone | 10.79*† | 1446 | [15.60] | 12.26 | 1860 | 0.47 |
| α -Humulene | 10.82† | 1448 | [15.60] | 9.27 | 1609 | 0.07 |
| Unknown [m/z 187, 131 (78), 202 (76), 105 (74), 91 (74), 117 (53), 145 (52)] | 10.94 | 1457 | 0.86 | 9.98 | 1666 | 1.90 |
| Unknown [m/z 131, 202 (78), 91 (74), 105 (68), 187 (68), 119 (53), 145 (52)] | 11.08* | 1468 | 1.11 | | | |
| Unknown [m/z 119, 91 (85), 93 (77), 105 (76), 79 (61), 134 (60), 94 (49), 204 (46)] | 11.08* | 1468 | [1.11] | 9.46 | 1624 | 0.47 |
| γ -Himachalene | 11.18 | 1475 | 9.27 | 9.63 | 1638 | 9.18 |
| 11- α H-Himachala-1,4-diene | 11.21 | 1477 | 1.85 | 9.66 | 1640 | 1.41 |
| Unknown [m/z 137, 43 (84), 138 (63), 109 (53), 95 (51), 93 (50), 207 (46)... 222 (21)] | 11.28 | 1482 | 0.41 | 10.21 | 1684 | 0.59 |
| α -Muurolene | 11.55* | 1502 | 36.77 | 10.10 | 1676 | 0.21 |
| (<i>Z</i>)- α -Bisabolene | 11.55* | 1502 | [36.77] | 10.39 | 1700 | 0.02 |
| Cycloisolongifol-5-ol | 11.55* | 1502 | [36.77] | 10.86 | 1739 | 0.22 |
| β -Himachalene | 11.55* | 1502 | [36.77] | 9.92 | 1661 | 36.50 |
| α -Dehydro-ar-himachalene | 11.65* | 1510 | 2.25 | 11.58 | 1800 | 2.17 |
| γ -Cadinene | 11.65* | 1510 | [2.25] | 10.47* | 1706 | [2.26] |
| δ -Cadinene | 11.81*† | 1523 | 5.69 | 10.47* | 1706 | [2.26] |
| γ -Dehydro-ar-himachalene | 11.81*† | 1523 | [5.69] | 11.95 | 1833 | 1.96 |
| Unknown [m/z 131, 202 (28), 91 (22), 159 (16), 145 (16), 132 (15), 115 (14)] | 11.81*† | 1523 | [5.69] | 11.12 | 1761 | 1.54 |
| <i>trans</i> -Calamenene | 11.81*† | 1523 | [5.69] | 11.26 | 1773 | 0.10 |
| Unknown [m/z 93, 187 (70), 145 (59), 119 (42), 131 (39), 202 (33)] | 11.89 | 1529 | 0.21 | | | |
| α -Himachalene | 11.94 | 1533 | 0.68 | 11.63 | 1805 | 0.65 |
| α -Calacorene | 12.01 | 1539 | 0.72 | 12.15 | 1850 | 0.61 |
| (<i>E</i>)- α -Bisabolene | 12.07 | 1543 | 0.76 | 10.75 | 1730 | 0.70 |

| | | | | | | |
|---|---------|------|--------|--------|------|--------|
| Unknown [m/z 189, 91 (85), 43 (74), 105 (67), 133 (66), 107 (63), 135 (52)... 220 (20)] | 12.27 | 1559 | 0.20 | 14.01 | 2021 | 0.50 |
| (E)-Nerolidol | 12.30 | 1561 | 0.12 | 13.87 | 2007 | 0.12 |
| Himachalene epoxide | 12.41 | 1570 | 0.77 | 12.85 | 1913 | 0.51 |
| Unknown [m/z 177, 202 (79), 91 (76), 159 (75), 43 (65), 107 (59), 105 (57)....] | 12.46 | 1574 | 0.19 | 14.41 | 2058 | 0.03 |
| Longiborneol | 12.65 | 1588 | 0.39 | 14.63 | 2080 | 0.29 |
| β -Himachalene oxide | 12.86 | 1605 | 0.52 | 13.19 | 1944 | 0.58 |
| Unknown [m/z 138, 110 (77), 137 (75), 107 (62), 91 (61), 93 (60), 109 (57)... 220 (34)] | 12.91 | 1609 | 0.75 | 13.48 | 1970 | 0.70 |
| Unknown [m/z 137, 119 (69), 43 (51), 95 (50), 109)40)... 222 (1)] | 13.04 | 1620 | 0.19 | 14.91* | 2107 | 0.23 |
| 1-epi-Cubenol | 13.08 | 1623 | 0.72 | 13.80 | 2001 | 0.56 |
| 6-Methyl-6-meta-tolyl-heptan-2-one | 13.14* | 1628 | 0.22 | 15.71 | 2187 | 0.01 |
| Unknown [m/z 119, 163 (80), 107 (64), 95 (61), 93 (57), 91 (53)... 220 (11)] | 13.14* | 1628 | [0.22] | | | |
| Unknown [m/z 119, 91 (44), 94 (36), 107 (35), 93 (29)... 202 (19)....] | 13.21 | 1634 | 0.09 | | | |
| Himachalol | 13.29 | 1640 | 0.87 | 15.22 | 2138 | 0.88 |
| Allohimachalol | 13.45 | 1654 | 0.73 | 15.58 | 2174 | 0.69 |
| β -Atlantone | 13.61* | 1667 | 0.80 | 14.91* | 2107 | [0.23] |
| (E)-10,11-Dihydroatlantone | 13.61* | 1667 | [0.80] | 14.69 | 2085 | 0.21 |
| (Z)- γ -Atlantone | 13.87*† | 1689 | 2.06 | 15.15 | 2131 | 0.65 |
| Deodarone epimer I | 13.87*† | 1689 | [2.06] | 15.37* | 2153 | 1.43 |
| Deodarone epimer II | 13.90† | 1691 | [2.06] | 15.43 | 2159 | 0.71 |
| (E)- γ -Atlantone | 14.02 | 1701 | 0.82 | 15.37* | 2153 | [1.43] |
| (Z)- α -Atlantone | 14.18 | 1714 | 0.61 | 15.64 | 2179 | 0.56 |
| Unknown [m/z 105, 119 (89), 59 (68), 120 (65), 43 (65), 93 (62), 121 (61)....] | 14.30 | 1725 | 0.08 | | | |
| Unknown [m/z 91, 79 (83), 105 (68), 109 (63), 41 (590), 93 (58), 107 (57)....] | 14.42 | 1735 | 0.04 | 18.03 | 2433 | 0.03 |

| | | | | | | |
|--|---------------|------|------|---------------|------|------|
| Unknown [m/z 83, 91 (28), 105 (25), 55 (21), 43 (17), 119 (17)…] | 14.47 | 1739 | 0.04 | | | |
| Unknown [m/z 43, 105 (99), 119 (90), 91 (87), 147 (76), 41 (69), 93 (63)…] | 14.49 | 1742 | 0.05 | | | |
| Unknown [m/z 83, 55 (17), 91 (14), 105 (9), 216 (6)…] | 14.63 | 1754 | 0.09 | | | |
| Unknown [m/z 91, 105 (74), 93 (67), 79 (59), 133 (54), 41 (47), 107 (46)…] | 14.69 | 1759 | 0.01 | 18.43 | 2476 | 0.01 |
| (E)- α -Atlantone | 14.86 | 1773 | 2.87 | 16.36 | 2253 | 2.86 |
| Unknown [m/z 95, 43 (59), 69, (57), 67 (43), 163 (42), 94 (37), 107 (37)… 178 (26), 218 (2)] | 15.06 | 1791 | 0.18 | | | |
| Unknown [m/z 83, 134 (28), 119 (19), 55 (18), 91 (14), 43 (11), 109 (10)… 216 (4), 249? (0)] | 15.58 | 1837 | 0.02 | 20.40 | 2707 | 0.01 |
| Unknown [m/z 83, 134 (30), 119 (19), 55 (18), 91 (12)… 216 (4)…] | 15.70 | 1848 | 0.02 | 20.46 | 2714 | 0.02 |
| Unknown [m/z 173, 83 (83), 91 (80), 201 (79), 115 (65)… 216 (31)] | 16.09 | 1883 | 0.01 | 18.68 | 2506 | 0.01 |
| Total identified | 92.13% | | | 86.46% | | |
| Total reported | 96.20% | | | 93.52% | | |

*: Two or more compounds are coeluting on this column

[xx]: Duplicate percentage due to coelutions, not taken into account in the consolidated total

t: Peaks apexes were resolved, but peaks overlapped and were summed for analysis

tr: The compound has been detected below 0.005% of total signal.

Note: no correction factor was applied

R.T.: Retention time (minutes)

R.I.: Retention index